Ifw

NOV O A 7005 W

85333SMR Customer No. 01333

IN THE UNITED STATES PATENT AND TRADEMARK OFFICE

In re Application of: Yongcai Wang, et al

PROCESS OF PRODUCING MICROCAPSULES AND PRODUCT THEREOF

Serial No. 10/764,411

Filed 23 January 2004

Commissioner for Patents P.O. Box 1450 Alexandria, VA. 22313-1450

Sir:

Group Art Unit: 1711

Examiner: Saira B. Raza

I hereby certify that this correspondence is being deposited today with the United States Postal Service as first class mail in an envelope addressed to Commissioner for Patents. P.O. Pow 1450. Alexandria, VA 2213-1450.

julione Grinnell

November

RESPONSE TO RESTRICTION REQUIREMENT

In the Official Action dated October 6, 2005, the Examiner issued a Restriction Requirement to Applicant with respect to the following inventions:

- I. Claims 1-31, drawn to a method of preparing microcapsules, classified in class 264, subclass 4.1.
- II. Claims 32-33, drawn to a microcapsule containing a hydrophobic liquid core material, classified in class 428, subclass 402.2
- III. Claims 34-41, drawn to an imaging element, classified in either class 430 or 345.

In response to the Restriction Requirement Applicant elects to pursue the invention of Group I, Claims 1-31, with traverse.

The Examiner further required the election of species as described in paragraph 6 in the Official Action. The following elections are made without traverse. With regard to item 6(a) Applicant elects the species of claim 8. With regard to item 6(b) Applicant elects the species of claim 14. With regard to item 6(c) Applicant elects the species of claim 20. With regard to item 6(d) Applicant elects the species of claim 30.

Respectfully submitted,

Sarah Meeks Roberts/fjg Rochester, NY 14650

Telephone: 585-588-7488 Facsimile: 585-477-1148

If the Examiner is unable to reach the Applicant(s) Attorney at the telephone number provided, the Examiner is requested to communicate with Eastman Kodak Company Patent Operations at (585) 477-4656.

Attorney for Applicant(s) Registration No. 33,447